


# 100G High-Speed DAC Cable from Overseas Warehouse



## Overview

100G DAC Cables (QSFP28) are cost-effective, pre-terminated twinax copper assemblies designed for short-reach high-speed interconnects in modern data centers, enterprise networks and SANs. Get your 100G direct attach cables from nearby warehouses. Trusted by 260K+ Enterprise. End-to-end design, manufacturing, and supply-chain orchestration for assemblies—from simple box builds to complex, fully wired electrical cabinets—delivered to spec and certified for any environment. Amphenol QSFP28 Cables (100G Ethernet QSFP28 DAC Cables) up to 5m (16. The cable assemblies include straight-through and breakout Direct Attach Cables (DAC), Active Copper Cables (ACC and AEC) and Active Optical Cables (AOC) in speeds ranging from 800G to 10G, in OSFP-Finned Top. 100G DAC Cables from JTOPTICS are Direct Attach Copper cables ideal for short-distance, cost-effective connectivity in top-of-rack or intra-rack applications.



## Article Content

100G QSFP28 Passive DAC Cables 1m 2m 3m 5m

COMNEN's 100G QSFP28 Passive DAC (Direct Attach Copper) Cables provide high-performance, cost-effective interconnect solutions for data centers, high-performance computing (HPC), and enterprise

DSFP+ DAC Copper Cable, 100Gb/s (PAM4), 0.5m

DSFP (PAM4) = Dual SFP56 = 2x50G=100G 4-pair differential twinax cable Reliability performance complaint with ISO9002 quality system

100G Direct Attach Cable

This 100G Direct Attach Cable with QSFP28 connectors supports a 112.2 Gbps data rate, low power, and up to 5m length, ideal for 100G Ethernet.

High speed QSFP28 100G Direct Attach Cables and Active Optical

Collection of High Speed 100G data rate DAC and AOC connectivity cables with QSFP28 format

100G DAC Cable | QSFP28 Direct Attach Copper Cable

A 100G QSFP28 DAC cable enables ultra-low latency and high bandwidth connectivity using QSFP28 interfaces. It reduces power consumption and is ideal

Extreme 10411 Compatible 100G QSFP28 Cable

Buy Extreme 10411 Compatible 100G QSFP28 Direct Attach Copper Cable (1m, Passive, 30AWG) from Manufacturer at Affordable Factory Price,5-Year Warranty.

100G QSFP28 Passive DAC Cables 1m 2m 3m 5m

Designed to deliver exceptional speed and reliability, these cables support 100 Gigabit Ethernet (100GbE) and 100G InfiniBand protocols, ensuring optimal data transfer in demanding environments.

100G QSFP28/SFP-DD/SFP112 | Twinax Cables

FS 100G DAC/AOC cable, passive/active DAC from 0.5m to 10m and FS QSFP28 AOC from 1m to 100m cable, cost-effective alternative for 100G Ethernet short

DAC Cables | 100G High-Speed Connectivity

Unlock 100G performance with BizLink's DAC cables. Our direct attach cable solutions, including QSFP28, ensure low loss & high-speed data for demanding data centers.

High Speed Cable Assemblies | High-Speed Interconnects, DAC, AOC

Independently tested to be interoperable with most major equipment manufacturers, Siemon interconnects deliver cost-effective, flexible support for your high-speed, direct attach equipment

### 100G Passive High-Speed Cable (DAC) Selection Guide

Introduction The 100G Passive Direct Attach Cable (DAC) is a key component for building efficient and cost-effective network interconnections. To help you achieve

### QSFP28 Direct Attach Cables (100G DAC)

Our QSFP28 Cables are the first to integrate Amphenol Spectra-Strip's EXF SKEWCLEAR wire, offering a flat frequency response beyond 20 GHz. Our

### 100G QSFP28 (DAC) - Alphabridge - Network Infrastructure for

100G QSFP28 DAC - Unmatched Performance and Reliability The 100G QSFP28 Direct Attach Cable (DAC) from Alpha Bridge Technologies is engineered to meet the demanding requirements of

### High-Speed 100G QSFP28 DAC Cable

The 100G QSFP28 to QSFP28 DAC Cable is a reliable, low-cost solution for short-distance, high-speed connections between network equipment.

### 100G AOC and DAC

HUBER+SUHNER offers 100G active optical cables (AOC) and direct attached cables (DAC), designed for efficient, high-speed network connectivity.

### JTOPTICS 100G DAC Cables | High-Performance 100G Solutions

100G DAC Cables from JTOPTICS are Direct Attach Copper cables ideal for short-distance, cost-effective connectivity in top-of-rack or intra-rack applications. These cables provide low-latency, high

### Extreme Networks 10414 100G QSFP28 Passive DAC Cable

Check Extreme Networks 10414 Compatible 100G QSFP28 DAC Twinax Cable data sheet (5m, Passive, QSFP28 to QSFP28, 26AWG) and price list on FS , buy it now!

### 100G QSFP28 DAC (Direct Attach Copper Cable)

10Gtek's QSFP28 passive copper cable assembly features eight differential copper pairs, providing four data transmission channels at speeds up to 28Gbps per channel, and meets 100G Ethernet

### 100G QSFP28 DAC Cable

QSFPTEK can provide a high performance 100G QSFP28 DAC Cable for an economical solution with low latency, low cost, and low power consumption

### 100G QSFP28/SFP-DD/SFP112 | Twinax Cables

Get your 100G direct attach cables from nearby warehouses. 30-Day Free Return. Trusted by 260K+ Enterprise Users.

## 100G-DAC-1M

The Vi-Link 100G-DAC QSFP28 passive copper cable assembly features eight differential copper pairs, providing four data transmission channels at speeds up

### Introduction to 100G QSFP28 DAC Cable

So sometimes it is called 100GBASE-CR4 QSFP Cable. It contains four high-speed copper pairs, each operating at data rates of up to 25GbE. So

Get reliable 100G QSFP28 cables from US stock with ...

These are the fastest cables available for QSFP28 format, reaching up to 28G per channel (112G aggregate). Both passive copper DAC and fiber active AOC cables are available. Such cables are

### 100G QSFP28 DAC Cable Manufacturers

Offered in a broad range of wire gages (from 30AWG through 26AWG), this 100G copper cable assembly features low insertion loss and low cross talk. QSFP28 form factors can be used with

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.fivesunsecoenergy.fr>

Email: [sales@fivesunsecoenergy.fr](mailto:sales@fivesunsecoenergy.fr)

Phone: +33 6 41 83 57 29

Address: 5 Rue de la Bourse, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

