

140C Relay Protection Device



Overview

The combined over-current and earth-fault relay SPAJ 140 C is used for the selective short-circuit and earth-fault protection of radial feeders in solidly-earthed, resistance-earthed or impedance-earthed power systems. This integrated protection relay includes an over-current unit and an. What are common fault indications for the ABB SPAJ 140 C relay?

The red IRF indicator (Internal Relay Fault) being switched on, indicating a permanent internal relay fault detected by the self-supervision system. An autodiagnostic fault code being shown on the display, consisting of a red figure. Storage of latest 99 nos. of Events log With Ims Time Stamp Resolution. This protection device, also known as ABB SPAJ 140C SPCJ 4D29 1MYN742751-A. Need More Details?

If you'd like to check stock availability, request the latest price, or view more.



Article Content

SPAJ140C_750629_ENd.p65

Output relay A is a heavy-duty trip relay capable of controlling most circuit breakers. The operate signals of the different protection stages are routed to the trip relay with switches 2,4,6 and 8 of

ABB SPAJ140C / SPAJ-140C AA - Comprehensive Protection Relay

This industrial protection relay from ABB is engineered for exceptional performance in demanding electrical environments, ensuring system integrity and safety. Featuring advanced microprocessor

earth-fault relay

The integrated protection relay includes an overcurrent unit and an earth-fault unit with flexible tripping and signalling facilities. The overcurrent and earth-fault relays can also be used for other applica

Protective relay

Electromechanical protective relays at a hydroelectric generating plant. The relays are in round glass cases. The rectangular devices are test connection blocks,

Protective Relay Testing Overview | PDF

This document discusses testing of protective relays for feeder protection, motor protection, and transformer protection. For feeder protection, it lists overcurrent,

Combined overcurrent and earth-fault relay SPAJ 140 C

The combined over-current and earth-fault relay SPAJ 140 C is used for the selective short-circuit and earth-fault protection of radial feeders in solidly-earthed, resistance-earthed or impedance-earthed

SLR 140C - Stelmec

SLR 140C Salient Features SLR 140C Numerical over current and Earth fault protection Site selectable IA & 5A CT Input Two Stages Over Current and Two Stage Earth Fault Protection Relay IDMT

SPAJ 140 C Series

A world-class relay collection for optimised protection functions The SPAJ 140 C Series relays serve your network with reliable and versatile technical features: -The SPAJ 140 C relay comprises a

SPAJ140C_750629_ENd.p65

Powerful software support for setting and parametrizing of the relay and for recording of relay parameters with a portable PC.

SPAJ 140C Relay Training Guide | PDF | Relay | Power

The SPAJ 140C is a microprocessed protection relay designed for feeder applications, featuring overcurrent and earth fault protection functions. It includes

ABB SPAJ 140C Over Current & Earth Fault Relay

This protection device, also known as ABB SPAJ 140C SPCJ 4D29 1MYN742751-A, is designed to detect and isolate overcurrent and earth fault conditions, preventing damage to equipment and

ABB SPAJ140C / SPAJ-140C AA - Comprehensive

The ABB SPAJ140C, SPAJ140C AA Integrated Protection Relay is designed for enhanced safety and reliability in industrial control systems. It offers

Überstrom

Das Schutzrelais enthält eine Überstrom- und eine Erdschlusseinheit, deren Auslösungen und Meldungen leicht an den jeweiligen Anwendungsfall anzupassen sind.

Synchro-check relay SPAU 140 C

The numerical synchro-check relay SPAU 140 C is a voltage measuring relay designed to be used when two power systems are to be connected together.

Spaf140c_tob_750418enc.fm

In generator protection applications the relay protects the generator and the prime mover against hazardous overspeeding and/or underspeeding. The relay can also be used for the

SPAJ 140C combined overcurrent and ground fault relay

SPAJ 140C combined overcurrent and ground fault relay Product Description The ABB SPAJ 140C is a combined overcurrent and ground fault relay designed for

SPAJ 140 C Relay Product Guide | PDF | Relay | Power

This document provides information on the SPAJ 140 C combined overcurrent and earth-fault relay, including: - It has units to protect against three-phase

SPAJ 140 C Relay Overview and Manual

The document describes a combined overcurrent and earth-fault relay with the following key features: 1. It provides three-phase overcurrent protection with low

Stelmec Relay SLR140C

The document is a user manual for an over current and earth fault relay. It provides information on the safety, features, user interface, functions, configuration,

Bulletin 140MT Enclosed Motor Protection Circuit Breakers Technical

Bulletin 140MT MPCBs or Motor Protective Switching Devices (MPSDs) are UL Listed as Manual, Self-Protected Combination Motor Controllers (Type E) and Manual Motor Controllers (with approvals for

Spaj 140C | PDF | Relay | Power Supply

Output relay F functions as output relay for the self-supervision system of the protection relay. The F relay is energized under normal operating conditions and

ABB SPAJ 140 C User Manual And Technical Description

The ABB SPAJ 140 C relay offers the following types of protection: Three-phase, low-set phase overcurrent protection with definite time or inverse definite

ABB SPAJ 140C Over Current & Earth Fault Relay

The ABB SPAJ 140C relay ensures the smooth and secure operation of your electrical systems. Its robust design and reliable performance make it an essential choice for any application requiring

Motor Protection Circuit Specifications

Product Line Overview Motor Protection Circuit Breakers (MPCBs) combine short-circuit and overload protection in a single device to safeguard electric motors from potential hazards such as overload

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.fivesunsecoenergy.fr>

Email: sales@fivesunsecoenergy.fr

Phone: +33 6 41 83 57 29

Address: 5 Rue de la Bourse, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

