

Huawei OLT PON port optical module



Overview

Huawei compatible OM5270S-D2SW is XGSPON & GPON OLT SFP transceiver, operating over Single-Mode Fiber (MMF) optical cable. It has minimum guaranteed optical budget of 34dB for XGPON and 35dB for GPON technology, with in most cases is enough to reach 20km distance. However, distance is just. Passive optical network (PON) interfaces are classified into Ethernet PON (EPON) interfaces and gigabit PON (GPON) interfaces. They transmit data at a high rate. A PON network uses only optical fibers. Huawei OptiXaccess EA5801E is a box-shaped Optical Line Terminal (OLT) with Gigabit Passive Optical Network (GPON) access, supporting both Passive Optical LAN (POL) and Fiber To The Home (FTTH) solutions. This simplifies network architecture, reduces device investment and O&M costs, and improves network deployment efficiency. Related Information Video Identify a Huawei-Certified Optical Module Run the display transceiver [interface interface-type interface-number | slot slot-id] [verbose]. The MA5800 multi-service access device is a 4K/8K/VR-ready OLT in the gigabit ultra-broadband era. It supports the PON/10G PON/50G PON/GE/10GE shared platform.

Article Content

OptiXaccess MA5801S (Blade OLT)

Product Highlights High Density with 16 GPON Ports: Provides 16 GPON service ports, and can work with GPON optical modules to implement GPON access. Pre

Optical Terminal

The OptiXstar product series extends optical connectivity to every home, enterprise, and campus, bringing families closer and making enterprise operations far more

OLT Fault

This page provides troubleshooting steps for resolving OLT faults that prevent GPON ONUs from going online.

Optische Netzwerk-Zugangslösungen von Huawei

The Huawei OptiXaccess EA5801S-FL16 is a compact outdoor blade OLT. It provides 16 Flex-PON ports to support FTTH coverage in remote areas, evolution from cable networks to FTTH networks.

SFP XG-PON& GPON-OLT Class C+ Module SFP for

Huawei CGHF is a 16-port XG-PON and GPON Combo OLT interface board with XG-PON & GPON C+/N2a Optical Module. It is used for MA5800-X2, X7, X15,

Optical line termination

An optical line termination (OLT), also called an optical line terminal, is a device which serves as the service provider endpoint of a passive optical network.

huawei olt card CSHF 16 ports XGS-Gpon board with

Huawei CSHF Service Board is a 16-port XGS-PON and GPON Combo OLT interface board. This board is used in MA5800,EA5800 Series OLT Equipment

SmartAX MA5800

Distributed architecture: The MA5800 is the first OLT with distributed architecture in the industry. Each MA5800 slot offers non-blocking access to sixteen 10G PON

ONU Cannot Be Discovered on the OLT After the OLT Is Physically ...

The AC6605s are configured with VRRP hot standby networking. Type B protection groups are configured on the two OLTs. The split ratio of the optical splitter is 2:16. The following figure

OLT Fault

Procedure Check for the possible causes on the OLT and troubleshoot the faults accordingly.

All-optical Access Platform OLT

Flex-PON A Flex-PON board supports GPON, XG(S)-PON, XGS-PON, and XG(S)-PON combo with the corresponding optical module, and reduces OPEX by smooth evolution without board replacement.

Huawei H906CGHF High Quality 16-Port XG-PON GPON Combo OLT

Huawei H906CGHF 16-Port XG-PON and GPON Combo OLT Interface Board with XG-PON & GPON N2a Optical Module for MA5800-X2, X7, X15, X17 NG OLT Systems

Huawei H908CSHF 16 port XGS-PON and GPON

Huawei H908CSHF board is a 16-port XGS-PON and GPON Combo OLT interface board for Huawei SmartAX MA5800 series OLT including the MA5800-X17,

forum.huawei

We're sorry but web site doesn't work properly without JavaScript enabled. Please enable it to continue. Loading

Huawei-Flex-PON-Solution

Regarding the active part construction for FTTH, Huawei provides the OLT Flex-PON solution to build a 10G PON ready network at the cost of a GPON. To be 10G PON ready, the OLT needs to support

Huawei Ma5608T

Huawei's mini OLT MA5608T is designed to be the perfect complement to the other MA5600 series larger OLTs and offers the same carrier grade features and

01-18 PON INTERFACE CONFIGURATION

As shown in Figure 18-1, a PON system consists of optical line terminal (OLT), Optical Distribution Network (ODN), and optical network units (ONUs). An OLT is an aggregation device that terminates

Displaying Optical Module Information

To determine whether optical modules delivered for Huawei switches before January 1, 2016 are certified ones, contact Huawei technical support. If your optical modules are delivered after January

Huawei GPON Optical Module

Huawei GPON boards include GPON, XG-PON, XGS-PON, XG-PON& GPON Combo, XGS-PON& GPON Combo interface board, so there are

MA5800 | Access | OLT | FTTH | Huawei Enterprise

Huawei SmartAX MA5800 Series The MA5800 multi-service access device is a 4K/8K/VR-ready OLT in the gigabit ultra-broadband era. It supports the PON/10G

PON Interface Configuration Commands

Using the laser command, you can configure the laser working mode of the optical module on a passive optical network (PON) interface. The default laser working mode is auto.

GPON Port Management on Huawei OLT | PDF | Fiber Optic ...

The document provides commands and outputs related to managing GPON ports on a Huawei OLT device. It includes details on displaying port states, shutting down, and reopening specific PON ports.

Huawei OptiXaccess EA5801S-FL16 | Compact Outdoor OLT

The Huawei OptiXaccess EA5801S-FL16 is a compact outdoor blade OLT. It provides 16 Flex-PON ports to support FTTH coverage in remote areas, evolution from cable networks to FTTH networks.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.fivesunsecoenergy.fr>

Email: sales@fivesunsecoenergy.fr

Phone: +33 6 41 83 57 29

Address: 5 Rue de la Bourse, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

